	Bagel Boggle Karen Binkley, MD, FRCPC	2	Jotes on Steven Age: 17 Presentation: Presentation: Arrives at ER with low Branch heezing and urticaria	
	Steven is a 17-year-old high school student who p	resents to the ER.	• Arrives at ER with low wheezing and urticaria wheezing to adrenaline wheezing and urticaria wheezing and	
	He is hypotensive, wheezing and has urticaria. He		ing a mondi	
	adrenaline, antihistamines and corticosteroids		Arrives at Err     Arrives and urticand     wheezing and urticand     wheezing and urticand     wheezing and urticand     wheezing and arribistamines and     antihistamines and     corticosteroids	
	<ul> <li>√ He reports that he consumed coffee and a sesame bagel one hour prior at a donut shop. He has consumed no other foods during the day</li> <li>√ He had not taken any medications or OTC products and he had not had any insect bites or stings. As a part-tine employee at the same donut shop, he knows the gloves used to handle food are vinyl, not latex</li> </ul>			
	He had one previous, milder episode associated with urticaria, chest tightness and cough four weeks earlier, b			
	did not seek medical attention and symptoms resolved spontaneously. He can't recall if sesame was consumed			
	on the date of the first reaction and he can't be sure if he has had sesame subsequent to the first reaction			
	tised users oner			
	✓ He has no history of allergic rhinitis or asthma. He did have eczema during childhood and there is a positive			
	on the date of the first reaction and he can't be sure if he has had sesame subsequent to the first reaction  ✓ He has no history of allergic rhinitis or asthma. He did have eczema during childhood and there is a positive family history of atopy  Medical history:  ✓ Drug Allergies:  ✓ None			
	Medical history:	Drug A	llergies:	
1	√ Unremarkable display,	√ None		
	Medications:		l Examination:	
	√ None	√ Unremarka		
	y	, , , , , , , ,		

	, i N			
	Skin Prick Testing:  √ Strongly positive to sesame  √ A diagnosis of sesame allergy can be safely made  Sesame allergy  Sesame allergy			
	√ Strongly positive to sesame			
	√ A diagnosis of sesame allergy can be safely made  Sesame  Sesame			
	Management:			
	√ Sesame allergy is capable of causing anaphylax is in this patient;			
	therefore, strict avoidance of all sesame and sesame-containing			
	foods is recommended			
	The patient is instructed in the use of autoinjectable adrenaline and			
	is advised to have a medical identification bracelet stating "food			
	allergy, has autoinjectable adrenaline"			
	√ The patient is strongly advised to contact Anaphylaxis Canada to provide further			
	support and education:			
	• Telephone: (416) 785-5666			
	• Fax: (416) 785-0458			
	Email: info@anaphylaxis.ca			
	√ A follow-up visit is scheduled to review the diagnosis, the appropriate use of the autoinjectable			
	adrenaline and an appropriate action plan			
	Comment:			
0	√ Sesame is increasingly recognized as an important and common food allergen □k			
	Upcoming cases  Dr. Binkley is an Assistant Professor of Medicine Division of Clinical Impropelation and			
	Medicine, Division of Clinical Immunology and Allergy, University of Toronto and a Staff			
	√ October: Nose Plug Member, St. Michael's Hospital and Sunnybrook			
	√ November: Take a Breather! Health Sciences Centre, Toronto, Ontario.			