

## CME CREDIT QUIZ



This quiz assesses your understanding of the articles in this issue. Participation is open to physicians who practise in Canada. Physicians who complete the quiz will receive a statement from the University of Calgary, Office of Continuing Medical Education, indicating their participation, score and the correct answer to each question.

Each quiz may be submitted only once within six months of publication. Correct answers will be

published six months after the quiz appears.

You will receive your score and CME statement immediately if you answer the quiz online at either **www.cme.ucalgary.ca** or **www.stacommunications.com**.

A question may have more than one correct answer. Please use a ballpoint pen to mark the correct answers on the quiz reply form. You can complete the quiz online or mark all the correct answers on the quiz reply form.

## Select the best answer(s) for each of the following:

- The non-compliance of caregivers with recommendations from learned societies can be a barrier to the successful treatment of hypertension.
- a) True
- b) False
- 2. How many times per year does the author recommend that a home blood pressure monitor device be checked for accuracy?
- a) 1
- b) 2
- c) 3
- d) 4
- e) 6

(Hypertension, page 63)

- 3. According to Fredman, which treatment strategy is most commonly used in cases of partial response to the initial treatment of depression?
- a) Combination
- b) Optimization
- c) Potentiation
- d) Substitution
- e) Withdrawal

- 4. The combination of two different SSRIs is a commonly used strategy for the management of refractory depression?
- a) True
- b) False

(Depression, page 77)

- 5. The atopic immune response is identical for rhinitis and asthma?
- a) True
- b) False

(Rhinitis and Asthma, page 89)

- 6. Specialized stroke rehabilitation units obtain better results than "regular" units.
- a) True
- b) False
- 7. Age should not be used as a predictor of rehabilitation outcome following a stroke.
- a) True
- b) False

(Stroke Recuperation, page 105)

## **CME Credit Quiz**

- 8. The natural history of adhesive capsulitis is a slow deterioration over five years.
- a) True
- b) False
- 9. In the presence of a clinical picture suggestive of a rotator cuff tear, MRI or ultrasound should only be obtained if surgical treatment is being considered.
- a) True
- b) False

(Common Shoulder Problems, page 115)

- 10. The pain of spinal cord compression is typically worse at bedtime?
- a) True
- b) False
- 11. The results from surgery performed after radiotherapy treatment are better than those from surgery performed before treatment.
- a) True
- b) False

(Palliative Care, page 125)

- 12. What is the false positive rate for urine cultures taken from a collecting bag?
- a) 25%
- b) 40%
- c) 55%
- d) 70%
- e) 85%
- 13. Constipation is a rare cause of urinary tract infection in older children.
- a) True
- b) False
- 14. If a clean midstream specimen is collected from a young girl, what is the probability of infection if three different urine specimens all show more than 10<sup>8</sup> organisms per litre?
- a) 70%
- b) 75%
- c) 80%
- d) 90%
- e) 95%

(Urinary Tract Infections, page 133)

If you answer the quiz online at **www.stacommunications.com** or **www.cme.ucalgary.ca**, you will receive your score and CME statement immediately.

If you do not have Internet access, fax the answer sheet to **(403) 270-7285**. If you do not have a fax machine, mail it to:

CME Quiz, c/o Continuing Medical Education The University of Calgary 3330 Hospital Drive NW Calgary, Alberta T2N 4N1

Made possible through an educational grant from MERCK FROSST CANADA LTD.